


Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1. (currently amended) An oil-based A lubricant composition comprising a molybdenum source, a hydroxy-substituted dithiocarbamate, and optionally, a phosphorous source.
2. (original) The composition of claim 1, wherein the hydroxy-substituted dithiocarbamate has the formula:



wherein R and R' may be independently hydrogen or alkyl with the requirement that at least one of R or R' is C₁ to C₂₂ alkyl, R'' is hydrogen, C₁ to C₂₂ alkyl, R'''XCH₂, R'''O(C=O)CH₂XCH₂, or R'''O(C=O)CH₂CH₂XCH₂ where R''' is C₁ to C₂₂ alkyl, and X is oxygen (O) or sulfur (S).

3. (original) The composition of claim 2, wherein R and R' are alkyl.
4. (original) The composition of claim 2, wherein R'' is hydrogen.
5. (original) The composition of claim 2, wherein R'' is alkyl.
6. (original) The composition of claim 2, wherein R'' is R'''XCH₂.

7. (original) The composition of claim 2, wherein R" is $R'''O(C=O)CH_2XCH_2$.
8. (original) The composition of claim 2, wherein R" is $R'''O(C=O)CH_2CH_2XCH_2$.
9. (original) The composition of claim 6, wherein X is oxygen (O).
10. (original) The composition of claim 6, wherein X is sulfur (S).
11. (original) The composition of claim 7, wherein X is oxygen (O).
12. (original) The composition of claim 7, wherein X is sulfur (S).
13. (original) The composition of claim 8, wherein X is oxygen (O).
14. (original) The composition of claim 8, wherein X is sulfur (S).
15. (original) The composition of claim 1, wherein the molybdenum source is selected from the group consisting of molybdenum carboxylates, molybdenum complexes of organic amides, molybdenum complexes of organic amines, and molybdenum dialkyldithiocarbamates.
16. (original) The composition of claim 1, wherein the molybdenum source comprises a molybdenum carboxylate.
17. (original) The composition of claim 1, wherein the molybdenum source comprises a molybdenum complex of an organic amide.

18. (original) The composition of claim 1, wherein the molybdenum source comprises a molybdenum complex of an organic amine.
19. (original) The composition of claim 1, wherein the molybdenum source comprises a molybdenum dialkyldithiocarbamate.
20. (original) A composition comprising a molybdenum source, a hydroxy-substituted dithiocarbamate, and a phosphorous source.
21. (original) The composition of claim 20, wherein the phosphorous source is selected from zinc dialkyldithiophosphates, alkyl phosphites, aryl phosphites, mixed alkyl/aryl phosphites, alkyl thiophosphites, aryl thiophosphites, mixed alkyl/aryl thiophosphites alkyl phosphates, aryl phosphates, mixed alkyl/aryl phosphates, metal or amine salts of phosphorodithioic acids, ashless dialkyldithiophosphates, ashless diaryldithiophosphates, and mixed ashless alkyl/aryldithiophosphates.
22. (original) The composition of claim 20, wherein the phosphorous source comprises zinc dialkyldithiophosphate.
23. (original) The composition of claim 20, wherein the phosphorous source comprises zinc diethyl/diisopropyldithiophosphate.
24. (original) The composition of claim 20, wherein the hydroxy-substituted dithiocarbamate is present in an amount of from about 0.05 to about 1.5 weight percent, the molybdenum source is present in an amount to deliver from about 25 to about 1500 ppm molybdenum, and the phosphorus source is present in an amount to deliver from about 250 to about 1000 ppm phosphorus.
25. (original) An additive concentrate comprising the composition of claim 1.

26. (original) A lubricating oil comprising a major amount of a base oil of lubricating viscosity, and a minor amount of a composition of claim 1.

27. (currently amended) The lubricating oil of claim 26, wherein the composition of ~~claim 1~~ is present in an amount of from about 0.25 to about 2.5 percent by weight of the lubricating oil.

28. (original) The composition of claim 1, wherein the hydroxy-substituted dithiocarbamate is present in an amount of from about 0.05 to about 1.5 weight percent, and the molybdenum source is present in an amount to deliver from about 25 to about 1500 ppm molybdenum.

29. (canceled)

30. (canceled)

31. (canceled)

32. (canceled)

33. (canceled)

34. (canceled)

35. (canceled)


36. (canceled)

37. (original) The lubricating oil of claim 26, wherein the base oil of lubricating viscosity is selected from animal oils, vegetable oils, mineral lubricating oils, solvent or acid treated mineral oils, oils derived from coal or shale, hydrocarbon oils, halo-substituted hydrocarbon oils, alkylene oxide polymers, esters of dicarboxylic acids, esters of polyols, esters of phosphorus-containing acids, polymeric tetrahydrofurans, silicon-based oils, and mixtures thereof.

38. (original) The compound 3-(2-ethylhexyloxy)-2-hydroxypropyl bis(2-ethylhexyl) carbamodithioate.


39. (original) The compound 3-(2-ethylhexyloxy)-2-hydroxypropyl dibutylcarbamodithioate.

40. (original) A compound with the following chemical formula:




41. (canceled)

42. (original) A lubricating composition comprising a compound with the following chemical formula:




43. (canceled)


44. (original) A lubricating composition comprising a compound with the following chemical formula:




45. (original) A lubricating composition comprising a compound with the following chemical formula:




46. (original) A lubricating composition comprising a compound with the following chemical formula:




47. (original) A lubricating composition comprising a compound with the following chemical formula:



48. (original) A lubricating composition comprising a compound with the following chemical formula:



49. (original) A lubricating composition comprising a compound with the following chemical formula:



wherein R, R' and R'' are alkyl groups, and wherein the sum of the number of carbon atoms of R and R' is 8 or more, and R'' is R'''XCH₂, where R''' is alkyl and X is oxygen.

50. (new) The composition of claim 1, wherein the molybdenum source comprises an organo-molybdenum compound.

51. (new) The composition of claim 20, wherein the molybdenum source comprises an organo-molybdenum compound.

52. (new) The composition of claim 20, wherein the molybdenum source comprises an organo-molybdenum compound present in an amount to deliver 25 ppm to 1500 ppm molybdenum, and the hydroxy-substituted dithiocarbamate is present in an amount to deliver 100 ppm to 3000 ppm sulfur, the phosphorus source is present in an amount to deliver about 500 ppm to less than 1000 ppm phosphorus.

53. (new) The composition of claim 20, wherein the molybdenum source comprises an organo-molybdenum compound present in an amount to deliver from 25 ppm to 1500 ppm molybdenum, and the hydroxy-substituted dithiocarbamate is present in an amount to deliver 100 ppm to 2250 ppm sulfur, the phosphorus source is present in an amount to deliver about 500 ppm to less than 1000 ppm phosphorus.

54. (new) The composition of claim 20, wherein the molybdenum source comprises an organo-molybdenum compound present in an amount to deliver from 25 ppm to 1500 ppm molybdenum, and the hydroxy-substituted dithiocarbamate is present in an amount to deliver 100 ppm to 1500 ppm sulfur, the phosphorus source is present in an amount to deliver about 500 ppm to less than 1000 ppm phosphorus.
55. (new) A crankcase oil comprising the composition of claim 20.
56. (new) A composition resulting from contacting a molybdenum source, a hydroxy-substituted dithiocarbamate, and a phosphorous source.
57. (new) The composition of claim 56, wherein the molybdenum source comprises an organo-molybdenum compound.